

3G
DISTRIBUTION

**HANDS-
FREE** 
CATALOG



GALLERY HANDS-FREE DOOR PULLS

2200H

Arm Pull

- Brass and Stainless Steel
- Fasteners provided
- C3, C4, C14, C26, C26D and C28



GHS FT60

Foot Pull

- Open door without the use of hands
- Thru-bolted for maximum durability
- Includes 4 sex bolts for through bolt mounting
- Made of high grade, type 304 1/8" thick stainless steel 32D



BG
DISTRIBUTION

MECHANICAL SOLUTIONS

FSB

FOREARM SHIELD

FSB - FOREARM SHIELD

Perfect solution for Fire Rated Doors

- Made of Polyamide for durability & strength
- ADA compliant
- Can be installed on commercially available lever handles, square or round design with a diameter of 0.7" - 0.98" (18-25 mm)
- Non-handed for ease of installation





IVES HANDS-FREE DOOR PULLS



IVES AP101 ARM PULL

- Easy forearm opening
- Use alongside current pull for hands-free needs
- Sturdy 1/8" thick stainless
- Substrate: Stainless Steel
- Finish options: Satin stainless steel (US32D/630), Dark brown painted (US10BE/695), Black painted (BLK/631)
- Size: 3" wide, 4" projection



IVES AP201 ARM PULL PLATE

- Comfortable and safe arm opening
- 1" round solid pull
- Substrate: Brass
- Finish options: Satin chrome (US26D/626), Dark brown painted (US10BE/695), Black painted (BLK/631)
- Size: 4x16" plate, 4" projection



IVES FP100 FOOT PULL

- Sanitary foot opening
- Rugged 1/8" thick stainless
- Substrate: Stainless Steel
- Finish options: Satin stainless steel (US32D/630), Dark brown painted (US10BE/695), Black painted (BLK/631)
- Size: 3" wide, 4" projection



OPENING HAND TOOL

- Universal tool for touchless entry
- Sturdy 1/8" Stainless, smooth tumbled edges
- Substrate: Stainless Steel
- Finish options: Satin stainless steel (US32D/630), Black painted (BLK/631)
- Size: 2" width, 5" height



MECHANICAL SOLUTIONS



ROCKWOOD HANDS-FREE DOOR ARM PULLS

193 HAND/ARM PULL

Finishes	Dimensions	Material
US32D US32DMS US3 / US4 US10 / US10B 10BE BSP / WSP US26 / US26D	Center-to-Center: 5-15/16" Overall Length: 9-1/4" Projection: 3-3/4" Clearance: 1-5/8"	Cast Brass Stainless Steel



AP1140 ARM PULL

Finishes	Dimensions	Material
US32DMS 10BE BSP / WSP Stock PC's	Base Plate Width: 2" Pull Width: 1-1/2" Projection: 4" Clearance: 3-7/8"	1/8" Thick Stainless Steel



AP1141 ARM PULL

Finishes	Dimensions	Material
US32DMS 10BE BSP / WSP Stock PC's	Base Plate Width: 2" Pull Width: 1-1/2" to 3/4" Projection: 4" Clearance: 3-7/8"	1/8" Thick Stainless Steel



AP1007 ARM PULL WITH PLATE

Finishes	Dimensions	Material
US32D US32DMS 10BE BSP / WSP Stock PC's	Plate with Rounded Corners: 4" w x 16" h Pull Diameter: 3/4" Projection: 4" Clearance: 2-27/32" <i>(at center of groove)</i>	Stainless Steel



MECHANICAL SOLUTIONS



ROCKWOOD HANDS-FREE DOOR FOOT PULLS

FP1230 FOOT PULL

Finishes	Dimensions	Material
US32D US32DMS 10BE BSP / WSP Stock PC's	Center-to-Center: 6" Projection: 3-1/4" Clearance: 3-1/16"	Stainless Steel



494 DOOR HOLDER/FOOT PULL

Finishes	Dimensions	Material
US3 / US4 US10 / US10B 10BE BSP / WSP US15 US26 / US26D	Strike Base: 2"w x 3"h Strike Projection: 3-1/4"h Holder Base: 3*w x 3-3/8"h Holder Projection: 2-1/8"h	Cast Brass



MECHANICAL SOLUTIONS




BGDISTRIBUTION.CA

BG
DISTRIBUTION

REQUEST AN ACCOUNT TODAY BY CLICKING THE REGISTER BUTTON AT WWW.BGDISTRIBUTION.CA

- Place orders online
- View pricing
- View inventory throughout BG branches
- Access to account information
- Consult order status and order history
- Links to catalogs and more!

SHOP ONLINE



CONTACT

3G
DISTRIBUTION

OTTAWA

1095 Algoma Road, #100, Ottawa, ON K1B 0B3
T: (613) 748-7377 | 1 (888) 607-0585
F: (613) 748-0015

MONTREAL

3042 Rue De Rouen, Montreal, QC H1W 3Z5
T: (514) 392-2555 | 1 (888) 819-2602
F: (514) 392-1623 | 1 (888) 357-3820

QUÉBEC CITY

125 Rue Fortin, #180, Québec, QC G1M 3M2
T: (418) 682-5550 | 1 (866) 563-6785
F: (418) 682-5522 | 1 (866) 563-6786

TORONTO

115 SHARER ROAD, #2, WOODBRIDGE, ON L4L 8Z3
T: (905) 265-9449 | 1 (855) 488-5625
F: (905) 265-1097 | 1 (855) 488-9700

WINNIPEG

1866 NOTRE DAME AVE, WINNIPEG, MB R3H 0X8
T: (204) 815-5636 | 1 (833) 815-5636
F: (204) 815-5637

